



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

KAWAI et al (As Amended)

Atty. Ref.: 2018-747

Serial No. 10/625,697

Group: unknown

Filed: July 24, 2003

Examiner: unknown

For: STICK-TYPE IGNITION COIL HAVING IMPROVED
STRUCTURE AGAINST CRACK OR DIELECTRIC DISCHARGE

* * * * *

February 11, 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

INFORMATION DISCLOSURE STATEMENT

Attached is a Form PTO-1449 listing the enclosed documents.

I hereby certify that each enclosed document listed on the herewith Form PTO-1449 was first cited in the attached Japanese Office Action dated January 29, 2004, issued in a counterpart foreign application not more than three months ago.

No English translation or Abstract of JP-3026649 was readily available. However, please note the Figures and see the degree of relevancy and the particular passages cited for each document in the Official Action.

If a final Rejection or Notice of Allowance issues on the same day as or before the filing date of this Information Disclosure Statement, please consider this a Petition under Rule 97(d) (ii), charge the petition fee to our Deposit Account No. 14-1140 under Order No. 2018-747, and proceed to consider this Information Disclosure Statement under Rule 97 (d).


BEST AVAILABLE COPY

This Information Disclosure Statement is intended to be in full compliance with the rules, but should the Examiner find any part of its required content to have been omitted, prompt notice to that effect is earnestly solicited, along with additional time under Rule 97(f), to enable Applicant to comply fully.

Consideration of the foregoing and enclosures plus the return of a copy of the herewith Form PTO-1449 with the Examiner's initials in the left column per MPEP 609 is solicited.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: 

Michelle N. Lester
Reg. No. 32,331

MNL:slj
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

BEST AVAILABLE COPY

